

Trial	Variable	R-Square	Coeff Var	Root MSE	Mean	LSD		
BI GRAIN	YIELD	0.65	5.01	598.79	11961.11	847.90		
BI GRAIN	ANTHESIS	0.96	0.47	0.93	197.33	1.31		
BI GRAIN	SILKING	0.94	0.50	1.02	201.55	1.44		
BI GRAIN	TEST WEIGHT	0.87	1.32	0.94	71.28	1.33		
BI GRAIN	MOISTURE	0.92	5.06	1.37	27.10	1.94		
Company	Hybrid	Anthesis (10%)	Silking (50%)	Yield (g/plot)	Yield (bu/ac)	Moisture (%)	TWT (kg/hl)	
Pioneer	39P78	14-Jul-06	20-Jul-06	11014.7	191.9	21.1	73.6	
Elite	30A27 RR	13-Jul-06	17-Jul-06	11268.3	196.4	22.5	70.8	
Hyland	HL R206	12-Jul-06	18-Jul-06	10947.2	190.8	22.6	70.4	
Maizex	EX 1264	8-Jul-06	12-Jul-06	11122.1	193.8	23.1	69.4	
Pioneer	39F45	10-Jul-06	14-Jul-06	10608.7	184.9	23.4	72.5	
Pioneer	39M26	17-Jul-06	21-Jul-06	11968.7	208.6	23.8	73.0	
Syngenta	N06-C1	15-Jul-06	20-Jul-06	12609.9	219.7	25.1	68.6	
Hyland	HL R208	17-Jul-06	21-Jul-06	11819.2	206.0	25.4	71.6	
Hyland	HL 2093	16-Jul-06	20-Jul-06	11640.4	202.9	25.5	68.4	
Syngenta	N05-C7	20-Jul-06	24-Jul-06	12596.0	219.5	25.8	73.4	
Hyland	Baxxos RR	18-Jul-06	22-Jul-06	12673.1	220.8	27.7	73.3	
Hyland	Bixxio RR	16-Jul-06	20-Jul-06	12008.3	209.3	28.2	70.9	
Maizex	MZ 115	15-Jul-06	19-Jul-06	12712.1	221.5	29.0	68.5	
Hyland	HL B209	19-Jul-06	23-Jul-06	11720.1	204.2	29.1	69.5	
Fraser	CPL229RR	23-Jul-06	26-Jul-06	12391.5	215.9	29.8	67.8	
Hyland	HL B16R	19-Jul-06	22-Jul-06	12826.9	223.5	30.2	74.3	
MTI Maize	6MA06	16-Jul-06	21-Jul-06	12271.5	213.8	30.2	73.3	
Maizex	EX 1263	17-Jul-06	21-Jul-06	12840.1	223.8	32.0	73.6	
Maizex	EX 1265	16-Jul-06	20-Jul-06	12159.5	211.9	32.2	72.5	
Fraser	CPL177RR	24-Jul-06	28-Jul-06	12023.8	209.5	35.6	70.3	