

Trial	Variable	R-Square	Coeff Var	Root MSE	Mean	LSD
BI SILAGE	YIELD	0.72	7.60	1.95	25.70	2.73
BI SILAGE	ANTHESIS	0.97	0.45	0.93	204.26	1.30
BI SILAGE	SILKING	0.94	0.58	1.20	206.28	1.68
BI SILAGE	MOISTURE	0.80	5.72	3.16	55.24	4.40
					Whole Plant	
Company	Hybrid	Anthesis	Silking	Dry Yield (t/ha)	Moisture %	
MTI Maize	6MA19	22-Jul-06	24-Jul-06	25.0	46.3	
Pioneer	39B93	22-Jul-06	23-Jul-06	26.5	46.3	
Pioneer	39F59	22-Jul-06	22-Jul-06	24.3	46.5	
Syngenta	N05-C7	21-Jul-06	21-Jul-06	24.8	47.3	
Pickseed	3623RR	18-Jul-06	22-Jul-06	23.4	47.3	
Pioneer	39F45	12-Jul-06	17-Jul-06	18.0	47.5	
Hyland	HL B16R	19-Jul-06	21-Jul-06	22.3	48.0	
Pioneer	39P78	16-Jul-06	20-Jul-06	21.0	48.3	
Syngenta	N15-P6	22-Jul-06	23-Jul-06	24.0	49.5	
Hyland	HL R208	18-Jul-06	21-Jul-06	22.9	50.0	
Hyland	Baxxos RR	18-Jul-06	21-Jul-06	24.8	51.3	
Maizex	EX 1261	14-Jul-06	18-Jul-06	21.0	51.3	
Hyland	HLRX660	20-Jul-06	22-Jul-06	23.8	52.8	
Pickseed	2623RR	18-Jul-06	22-Jul-06	22.5	52.8	
Syngenta	N11-F4	22-Jul-06	23-Jul-06	25.4	52.8	
Pioneer	39A94	22-Jul-06	26-Jul-06	25.9	53.0	
Pioneer	39T67	20-Jul-06	23-Jul-06	23.7	53.0	
Hyland	HL S007	20-Jul-06	24-Jul-06	25.9	53.3	
Pioneer	39H83	21-Jul-06	25-Jul-06	24.3	53.3	
Hyland	HL R219	23-Jul-06	23-Jul-06	27.0	54.5	
Monsanto	DKC30-02	23-Jul-06	23-Jul-06	23.7	54.8	
Pioneer	3921®	23-Jul-06	27-Jul-06	27.5	55.3	
Elite	46T07 RR	21-Jul-06	23-Jul-06	24.7	55.5	
Monsanto	DKC33-10	23-Jul-06	24-Jul-06	22.8	55.5	
Maizex	LF 755RR	24-Jul-06	22-Jul-06	26.8	55.8	
Fraser	CPL184BTRR	23-Jul-06	22-Jul-06	26.5	55.8	
Pioneer	39K39	27-Jul-06	30-Jul-06	27.4	56.3	
Maizex	LF 725	22-Jul-06	25-Jul-06	30.4	56.5	
Fraser	2791RR	23-Jul-06	22-Jul-06	30.0	56.8	
Maizex	MZ 18-02RR	22-Jul-06	25-Jul-06	26.6	57.5	
Pickseed	1622RR	20-Jul-06	22-Jul-06	23.3	57.8	
Hyland	HL R228	28-Jul-06	29-Jul-06	26.4	58.5	
Monsanto	DKC35-01	23-Jul-06	25-Jul-06	23.6	58.5	
Pickseed	2365RR	22-Jul-06	25-Jul-06	25.6	58.5	
Syngenta	N22-L1	28-Jul-06	31-Jul-06	26.0	58.5	
Maizex	LF 802	29-Jul-06	29-Jul-06	30.8	59.3	
Hyland	HL S011	27-Jul-06	30-Jul-06	27.6	60.0	
Syngenta	G4043	24-Jul-06	28-Jul-06	25.1	60.0	
Pioneer	38B12	28-Jul-06	31-Jul-06	30.9	60.3	
Fraser	CPL177RR	26-Jul-06	29-Jul-06	27.9	60.3	
Maizex	MZ 16-05RR	26-Jul-06	29-Jul-06	28.8	61.0	
Syngenta	N24-V8	31-Jul-06	31-Jul-06	28.4	61.8	
Hyland	HLSX R01	01-Aug-06	31-Jul-06	27.4	62.8	
Fraser	CPL294RR	28-Jul-06	31-Jul-06	28.7	62.8	
Pickseed	3524RR	25-Jul-06	29-Jul-06	25.7	63.3	
Syngenta	NX2194	01-Aug-06	31-Jul-06	29.3	64.0	
Fraser	CPLSS93RR	31-Jul-06	31-Jul-06	28.5	67.3	