

2008 Corn Hybrid Silage Results for Lacombe, AB.						
Trial	Variable	R-Square	Coeff Var	Root MSE	Mean	LSD
LACOMBE	YIELD	0.51	12.63	1.22	9.69	1.73
LACOMBE	ANTHESIS	0.87	0.62	1.39	225.18	1.96
LACOMBE	SILKING	0.87	0.60	1.36	227.15	1.91
LACOMBE	MOISTURE	0.69	3.35	2.29	68.32	3.22
					Whole Plant	
Company	Hybrid	Anthesis	Silking	Dry Yield (t/ha)	Moisture %	
Pioneer	39F45	02-Aug-08	05-Aug-08	9.7	59.1	
Hyland	HL 2093	15-Aug-08	18-Aug-08	9.7	63.6	
Pioneer	X7W907R	07-Aug-08	09-Aug-08	10.5	64.4	
Hyland	HLX 815 BtRR	11-Aug-08	12-Aug-08	11.2	64.7	
Seeds 2000	2791RR	13-Aug-08	15-Aug-08	9.9	66.8	
Pioneer	39B90	14-Aug-08	16-Aug-08	9.4	67.0	
Pioneer	39F57	11-Aug-08	13-Aug-08	10.3	67.4	
Pioneer	39B64	07-Aug-08	09-Aug-08	9.3	67.4	
Pride	A4176BtRR	13-Aug-08	15-Aug-08	10.5	67.5	
Pioneer	39D95	12-Aug-08	14-Aug-08	9.6	67.7	
Croplan	184BtRR	12-Aug-08	14-Aug-08	11.4	68.3	
Syngenta	NX0587	11-Aug-08	13-Aug-08	9.9	68.3	
Prairie Pacific	PP2075	15-Aug-08	17-Aug-08	7.0	68.4	
Elite	39C27 RR	11-Aug-08	13-Aug-08	11.7	68.6	
Pioneer	X8W600TR	12-Aug-08	14-Aug-08	10.2	68.6	
Syngenta	N05-C7	11-Aug-08	13-Aug-08	10.5	68.6	
Pioneer	X7W905	14-Aug-08	16-Aug-08	9.8	69.0	
Pride	A4705HMRR	16-Aug-08	18-Aug-08	10.0	69.4	
Pioneer	39M26	07-Aug-08	09-Aug-08	9.6	69.7	
Pioneer	39Z69	15-Aug-08	16-Aug-08	8.8	70.4	
Hyland	Baxxos RR	14-Aug-08	16-Aug-08	8.9	70.6	
Hyland	HL S007	14-Aug-08	16-Aug-08	9.2	70.6	
Pickseed	2240 RR	15-Aug-08	17-Aug-08	9.5	70.7	
Monsanto	DKC27-45	12-Aug-08	13-Aug-08	7.9	70.7	
Hyland	HL B22R	13-Aug-08	16-Aug-08	10.2	71.8	
Syngenta	N14-D8	11-Aug-08	12-Aug-08	9.1	72.0	
Hyland	HL SR06	13-Aug-08	15-Aug-08	7.9	73.8	